# dcTrack<sup>®</sup> – DCIM Operations Software



# DCIM Operations Software

#### Asset Management

- All data center physical assets and their configuration
- Maintenance/lease information
- Add unlimited Custom Fields
- Models Library with over 30,000 smart models across 450 manufacturers

#### **Capacity Management**

- Available power, space, cooling, network ports, and power connectors
- Search for and reserve capacity
   Find stranded power, space, and cooling capacity

#### Change Management

- Workflow for change requests
- Request approvals, status, and history
   Connect to ticketing and CMDB
- systems

#### Connectivity

- Build power and data circuits, including structured cabling
- Visual trace routes of port-level power and network paths
- Validation for physical connections and media types

#### **3D Visualization**

- 3D color-coded, floor map overlays show power, cooling, and capacity data
- Drilldown from floor map view to contents inside cabinets
- Thermal and pressure maps with time-lapse video

#### **BI & Analytics**

- Over 80 preconfigured chart widgets
   Filter, print, and export raw data to CSV
- and PDF
- Support for custom SQL and HTML widgets

#### <sup>66</sup>With DCIM software we now have an up-to-minute picture of capacities in all our data centers in terms of power, space, networking and cooling.<sup>99</sup>

Joseph Keena | Manager of Data Center Operations , **UF Health Shands** 



### Easily Manage Data Center Assets, Capacity, and Changes

Providing easy access to real-time information about critical facilities, networks, and IT assets by removing the complexity and dependency on emails and spreadsheets, dcTrack DCIM Operations solution transforms the delivery of data center services. Featuring detailed information and visual mappings, dcTrack's solution helps data center operators handle their most common tasks and processes faster and more efficiently than ever before, while saving costs and improving availability.

Detailed data center business intelligence and analytics about your infrastructure and visual mappings help you manage placement of your IT equipment, make informed capacity management decisions, and keep track of your data center assets.

When integrated with a CMDB or change management system for workflow functionality, dcTrack provides fast ROI, especially during any data center relocation, consolidation, or new build project. dcTrack can be easily deployed as a standalone DCIM operations solution or with Sunbird's Power IQ® DCIM Monitoring Software for power, energy, environment, and cabinet security monitoring.

#### Sophisticated Visualization, Analysis, and Reporting

- Easily analyze KPIs and gain data center business insights from over 80 chart widgets with drilldown across multiple dashboards that address your most common reporting use cases
- Preconfigured dashboards display charts by category: Enterprise Overview, Enterprise Health, What-If, Inventory, Space, Power, Cooling, Connectivity, Change, Tabular Reports, and DCOI
- Drilldown capability allows easy interaction with report and chart data
- Visualize floor plan drawings and rack elevations in real time
- Create, edit, and share your personalized dashboard pages to create transparency and manage to consistent KPIs across functional teams

### Asset Management for Accurate Inventory and Model Data

- Easily search for and reserve space, power, and network connectivity for all IT assets
- Quickly locate server, network, and storage equipment
- Track anything and everything in your data center with custom fields that accommodate your unique data and can be displayed in user-configurable layouts that make sense to your users
- Trace physical and logical relationships between equipment

#### Capacity Management for Optimized, Intelligent Planning

- Easily see real-time capacity for all your data center physical infrastructure
- Rich filtering allows quick search by several asset parameters
- Project-based reservations to support what-if capacity analysis
- Replace several inaccurate Excel® and Visio® files and trips to the data center

#### Change Management to Move, Add, and Delete IT Equipment

- Create request and work orders with customizable task details and deadlines to ensure work is done accurately and on time
- Use role-based, granular permissions to ensure compliance with corporate requirements
- Enforce best practices workflow and meet ITIL framework guidelines
- Track the real-time status of all work activities and improve the productivity and efficiency of data center operations staff

# dcTrack<sup>®</sup> – DCIM Operations Software



## Color-Coded Enterprise Health Dashboard

Provide an at-a-glance view of the health and capacity of your global footprint with the ability to click to drill down to obtain details at the floor, room, pod, row, cabinet, and device levels. Set thresholds and receive alerts for critical- and warning-level events in your data center.

New York Da		San Jose Data Center		Jersey City Da	ata Center	Houston Data Center			
60% Used Power	1208 kW Load 2000 kW Capacity No Events	55% Used Power	5.5 kW Load 10.0 kW Capacity No Events	60% Used Power	1208 kW Load 2000 kW Capacity No Events	73% Used Power	10.9 kW Load 15.0 kW Capacit No Events		
Tokyo Data C	enter	Berlin Data Ce	nter	Paris Data Ce	nter	Raleigh Data Center			
92% Used Power	9.2 kW Load 10.0 kW Capacity No Events	3 🙁 Critical Events	9.9 kW Load 25.0 kW Capacity 39% Used	81% Used Power	9.7 kW Load 12.0 kW Capacity No Events	1 🛦 Warning Event	0.0 kW Load 10.0 kW Capacit 0% Used		
London Data	Center	Singapore Dat	ngapore Data Center Hartford Data Center Dublin Data Center		nter				
60% Used Power	1208 kW Load 2000 kW Capacity No Events	85% Used Power	8.5 kW Load 10.0 kW Capacity No Events	60% Used Power	1208 kW Load 2000 kW Capacity No Events	85% Used Power	8.5 kW Load 10.0 kW Capacit No Events		
Somerset Dat	a Center	Brussels Data	Center	Beijing Data C	Center	Warsaw Data C	Center		
92% Used Power	9.2 kW Load 10.0 kW Capacity No Events	55% Used Power	5.5 kW Load 10.0 kW Capacity No Events	73% Used Power	10.9 kW Load 15.0 kW Capacity No Events	0% Used Power	0.0 kW Load 10.0 kW Capacit No Events		

## Stranded Power Capacity Dashboard

Easily find your available and stranded power capacity by correlating real-time measured load and planning information. Save on capital expenditures by using stranded power capacity, which will enable you to confidentially defer new cabinet buildouts.



## Global 3D Floor Map Search

Easily search for assets and locate them right on the floor map. Search across a broad range of criteria, including make, model, name, asset tag, capacity, power, and more. Save your search results as a view that you can share with other users.



### Capacity Management Dashboard

Provides real-time resource utilization data for better electrical, cooling, floor, cabinet, cable, and network capacity planning. Quickly see how much capacity you're using and, more importantly, how much is available.





# dcTrack<sup>®</sup> – DCIM Operations Software



## Thermal/Pressure Map Time-Lapse Video

Like weather radar for your data center. Easily spot hot spots and air pressure trends across multiple planes. Floor map overlays display temperature and pressure changes based on user-defined time periods so you can save money and address issues before they become problems.



### Port-to-Port Power and Network Visualization

See AC/DC power at every connection point in the power chain from the UPS to the device power supply with (N) or (N+1) redundancy. Achieve a balanced load across all three phases using derated values and actual readings so you'll never blow a breaker.



## 3D Visualization of Cabinets and Rows

Visualize cabinet and row elevations as if you are standing in front of them. Easily see cabinet contents including name, make, model, and status. Monitor user configurable thresholds for space, power, and cooling with ability to see near real-time readings for power, temperature, and humidity.



### 3D Network Connectivity and Power Cabling

View end-to-end network connectivity on the floor map, including patch cords, structured cabling, and distribution cabling. Manage real-world cable infrastructure and labeling scenarios, with support for various design architectures and all known cable types, connectors, and topologies.





# dcTrack<sup>®</sup> — DCIM Operations Software



#### Easy to Deploy and Use

- Application software, database, and hardened Linux® operating system are fully tested and ready to load on your VMware® or KVM platform
- Includes application software, database, and operating system—all in a single file
- Web-based access and cloning tools simplify setup and administration
- Import wizards, customer specific model library, and auto-discovery tools accelerate implementations
- Support for multi-tenancy

# A Complete Solution with Training and Support

- Pay-as-you-grow, rack-based license model results in superior customer value
- Software maintenance plans include documentation, training videos, Models Library updates, and software upgrades
- Implementation and training services available

### Open Data Model

- Open database connectivity capabilities let you use your existing data warehouse and reporting system to generate custom reports
- APIs enable Asset Item create, read, update, and delete to/from configuration management databases (CMDB) for seamless information exchange
- APIs and customer-configurable CMDB connectors enable seamless integration with change ticket and ITSM systems, including BMC Remedy and ServiceNow

# Intelligent Search, Place and Reserve

Seanch Calbona			Search Resul					
Search In	MINYDEK		Location	Cabinet Name	U-Position.	Available Kits	Contiguous Rits	
			NEW YORK	18		30	30	1244
* Spece Others (3 KU4)			NEW YORK	36	2	15	10	1244
Search by	(ii) Hodd	Onumate	NEW YORK	10				Gers
			NEW YORK	3.9		28	38	70
• Note	0.4		NEW YORK	24			6	900
<ul> <li>Model</li> </ul>	Equal-ope PS40000		NEW YORK	28	13	29	25	Pie .
<ul> <li>BU Neight</li> </ul>			NEW YORK	28	10	19	19	1946
STATE OF THE OWNER.	A 811 100 100		NEW YORK	24				Pile
D C			NEW YORK	20	12	28	27	144
· · · · · · · · · · · · · · · · · · ·		NEW YORK	28	17	24	22	<b>Fie</b>	
1000	a land story wash		NEW YORK	27	15	24	24	0w
		NEW YORK	20	20	19	19	78	
Prot Despt 1 Back Image			NEW YORK	24	10	27	19	-
			NEWYORK	54	14	26	25	V4
* Coloret Others			NEW YORK	28	14	25	25	OVE
· Data Carriedhill	Offerta [] port)		NEW YORK	×	35	15	12	100
1 8 X X X			NEW YORK	30	17	22	13	144
Put Same Co			NEW YORK	36	18	25	25	24
met 5	Data Paral 8245	Tabled Pag	I NEW YORK		27	10	20	300
•	-		NEW YORK	36	13	4		24
· bur Longt	and shares (1 and 1		NEW YORK	24	3		3	24
<ul> <li>Here canned vity offers (2 part)</li> </ul>			NEW YORK	48		28	28	90
Quetty	2 * * # 8+1		NEW YORK	-	11	25	25	-
<ul> <li>Nameplate Walts</li> </ul>			NEW YORK	~	13	27	25	20
<ul> <li>Budget morts</li> </ul>	2H		NEW YORK	-0	12	27	27	-
• Phase	Single Proce (1990)		NEW YORK	-	10	24	17	(inc
<ul> <li>Vulta</li> </ul>	120-240 *		NEW YORK	4	12	7	7	200
<ul> <li>Connector</li> </ul>	80-321-014		NEW YORK		9 5			-
Port Name	Connect.*	Calor	NEW YORK	AG		20		24
P11	To Rack PDU		NEW YORK	**		12		900

Quickly find space, power and network connectivity for IT devices, simplifying capacity planning and change management. Reserve capacity for future provisioning of new IT equipment.

#### Mobile Application

Anywhere, anytime access with your choice of smart phone or tablet, Apple and Android platforms, to enable paper-less audit. Create, read, update, and delete items via mobile device. Scan a cabinet bar code and view its full configuration. Identify missing items, audit time stamp, and auditor credentials.



#### Blade and Chassis Asset Management

Parlant.			10.00			and a							
-			100	CHRISTINGS		-		-					
and an	Ration Children		-			10.0							-
Cardinha	box fait (as)	N. C.	100	fur her									
Taring .	Addres Create		And in case	Paladar		Philes.							
ALC: N	rana		Latera	ac-solution		Parator		***					
brattadar.	-0.0004		Belor.	0									
ANT N													00.00
ere'h -													Sec. 8
-	e no (f th   Char	n barten	Annotation in the	1.000	Only fee Park								<u></u>
	1004	100000	14	-		-	-			-			-9.2
													10000
							•	•	•				11111
					-	+	H	H	ŀ	t	H	Ľ	

Support of chassis and blade configurations, including front and back, half slot, double slot, internal connectivity, and number of slots, servers and network.

# Call 732.993.4476 or visit SunbirdDCIM.com

Sunbird Software is changing the way data centers are being managed. With a focus on real user scenarios for real customer problems, we help data center operators manage tasks and processes faster and more efficiently than ever before, while saving costs and improving availability. We strive to eliminate the complexity they have been forced to accept from point tools and home grown applications, removing the dependency on emails and spreadsheets to transform the delivery of data center services. Sunbird delivers on this commitment with unexpected simplicity through products that are easy to find, buy, deploy, use, and maintain. Our solutions are rooted in our deep connections with our customers who share best practices and participate in our user groups and product development process.

Based in Somerset, NJ, Sunbird serves nearly 1,000 DCIM customers worldwide. For more information, please visit SunbirdDCIM.com.

© 2019 Sunbird Software. All rights reserved. dcTrack and Power IQ are registered trademarks of Sunbird Software. Linux® is the registered trademark of Linus Torvalds in the U.S. an other countries. All other marks and names mentioned herein may be trademarks of their respective companies.



DS009 January 2019 SunbirdDCIM.com | (732) 993-4476 | 200 Cottontail Lane, Somerset, NJ 08873